

REPLACEMENT FACE SPECIFICATIONS

VISUAL OBSERVATION PAGE

ACCOUNT INFORMATION

Name _____
 Address _____
 City _____ State _____ Zip _____


SURVEY COMPANY

Survey Co _____
 Survey by _____
 Contact Number _____


SITE INFORMATION

Site Location # _____
 Address _____
 City _____ State _____ Zip _____
 Phone _____ Fax _____
 Weather Conditions _____ Temp _____
 Photographs Included Yes No
 Total # of Pages _____

SIGN MOUNT TYPE (Check One)


- CENTER
 DUAL POLES
 FLAG MOUNT
 WALL MOUNT
 SWING MOUNT
 MONUMENT
 OTHER
- 
- SINGLE FACE SIGN
 DOUBLE FACE SIGN

CABINET CORNERS (Check One)

- SQUARE CORNER
 RADIUS CORNER
- 

SURVEY MUST CONTAIN RADIUS OF CORNER OR RUBBING INCLUDED (YES OR NO) YES NO


HANGING BAR

- EXTERIOR HANGING BAR
 INTERIOR HANGING BAR
- 
- INCLUDE HANGING BAR (YES OR NO) YES NO

ILLUMINATION (Check One)

- INTERNAL
 EXTERNAL
 NON-ILLUMINATED

SIGN TERMINOLOGY



INFORMATION PROVIDED BY THE SURVEYOR WILL BE UTILIZED TO MANUFACTURE REPLACEMENT FACES. IN THE EVENT THAT THE INFORMATION PROVIDED IS IN ERROR, THE SURVEYOR WILL BE RESPONSIBLE FOR COSTS ASSOCIATED WITH CORRECTING THE ERROR(S), WHICH MAY INCLUDE BUT NOT BE LIMITED TO PRODUCT, TOOLING, INSTALLATION AND FREIGHT.

REPLACEMENT FACE SPECIFICATIONS

FACE PROPERTIES : MAIN ID

FACE MATERIAL (CHECK ONE) PLASTIC FLEXIBLE METAL


PAN FORMED (CHECK ONE) YES- DEPTH _____ NO

EMBOSSED GRAPHIC (CHECK ONE) YES NO

EMBOSSED COPY (CHECK ONE) YES NO

SIGN COPY _____ SINGLE FACE SIGN DOUBLE FACE SIGN

OTHER COMMENTS _____



FACE PROPERTIES : SECONDARY SIGN

FACE MATERIAL (CHECK ONE) PLASTIC FLEXIBLE METAL


PAN FORMED (CHECK ONE) YES- DEPTH _____ NO

EMBOSSED GRAPHIC (CHECK ONE) YES NO

EMBOSSED COPY (CHECK ONE) YES NO

SIGN COPY _____ SINGLE FACE SIGN DOUBLE FACE SIGN

OTHER COMMENTS _____




MANUAL MESSAGE DIMENSIONS (WHERE APPLICABLE)

TOTAL LENGTH OF TRACK _____

PANEL THICKNESS _____

PANEL DECORATION: (CHECK ONE)

1st or 2nd Surface Reversed out Copy




INFORMATION PROVIDED BY THE SURVEYOR WILL BE UTILIZED TO MANUFACTURE REPLACEMENT FACES. IN THE EVENT THAT THE INFORMATION PROVIDED IS IN ERROR, THE SURVEYOR WILL BE RESPONSIBLE FOR COSTS ASSOCIATED WITH CORRECTING THE ERROR(S), WHICH MAY INCLUDE BUT NOT BE LIMITED TO PRODUCT, TOOLING, INSTALLATION AND FREIGHT.

REPLACEMENT FACE SPECIFICATIONS

RETAINER PROPERTIES

Sketch if profile is different than shown.




Sketch

A large grid area for sketching the replacement face profile, enclosed in a blue border.

INFORMATION PROVIDED BY THE SURVEYOR WILL BE UTILIZED TO MANUFACTURE REPLACEMENT FACES. IN THE EVENT THAT THE INFORMATION PROVIDED IS IN ERROR, THE SURVEYOR WILL BE RESPONSIBLE FOR COSTS ASSOCIATED WITH CORRECTING THE ERROR(S), WHICH MAY INCLUDE BUT NOT BE LIMITED TO PRODUCT, TOOLING, INSTALLATION AND FREIGHT.

REPLACEMENT FACE SPECIFICATIONS

COLUMN AND BASE PLATE DIMENSIONS



COLUMN HEIGHT _____

OVERALL HEIGHT _____


NOTE: OVERALL HEIGHT MEASURED FROM TOP OF SIGN TO GRADE

BASE PLATE THICKNESS _____


FOUNDATION (CHECK ONE) :

DIRECT BURIAL ANCHOR BOLT

4 BOLT MEASUREMENTS



6 BOLT MEASUREMENTS



GENERAL INFORMATION

ROUND TUBE CONDITION _____
 DIAMETER _____ COLUMN DIMENSIONS _____ X _____ WALL THICKNESS _____

SIGNATURE: _____

DATE: _____

INFORMATION PROVIDED BY THE SURVEYOR MAY BE UTILIZED TO MANUFACTURE NEW COULMNS / BASE PLATES / MATCH PLATES / TORSION BARS / ETC. IN THE EVENT THAT THE INFORMATION PROVIDED IS IN ERROR, THE SURVEYOR WILL BE RESPONSIBLE FOR COSTS ASSOCIATED WITH CORRECTING THE ERROR(S), WHICH MAY INCLUDE BUT NOT BE LIMITED TO PRODUCT, TOOLING, INSTALLATION AND FREIGHT.